REMARKS

Claims 1-6 and 10-23 are active. New claim 23 tracks limitations found in claims 1, 15 and 19. Support for a copolymer film less than or equal to 10 nm is also found in the specification on page 10, line 25. Accordingly, the Applicants do not believe that any new matter has been introduced. Favorable consideration of this amendment and allowance of the application are respectfully requested.

Rejection—35 U.S.C. §103(a)

Claims 1-3, 6 and 10-21 were rejected under 35 U.S.C. §103(a) as being unpatentable over Livache, et al., Biosens. Bioelec. 13:629, in view of Domb, U.S. 2006/0013850 and Guedon, et al., Anal. Chem. 72: 6003. The prior art does not render the invention obvious because it does not suggest or provide a reasonable expectation of success for it.

As indicated in the Official Action, <u>Livache</u> does not disclose **pyrrole monomers coupled to peptides/proteins** via use of activated pyrrole--the Applicants also refer to the prior analysis of this reference in their last response and provided at the end of this Amendment.

<u>Domb</u> is a continuation-in-part which was filed after the effective filing date of this pending application. New matter added to <u>Domb</u> after November 30, 2000—the filing date of the <u>Domb</u> priority application PCT/IL00/00807—is not prior art.

Review of the <u>Domb</u> priority document PCT '807 shows that it refers to polymeric coatings containing oxidized polypyrrole derivatives with anionic peptides and proteins (page 21, Example 3 and claims 21-22). Thus, <u>Domb</u> PCT '807 does <u>not</u> disclose the <u>coupling</u> of an activated pyrrole to a protein to form a protein-pyrrole coupling compound in which the coupling implements a <u>covalent bond</u> between the activated pyrrole and the protein as required by the present invention.

On the contrary, <u>Domb</u> PCT '807 discloses an <u>electrostatic complex</u> between the oxidized polypyrrole derivatives and the anionic peptides and proteins.

In addition, <u>Domb</u> PCT '807 indicates "the polypyrrole coating is oxidized by applying an oxidizing potential" (Example 3, page 21), which clearly means that the ionic bond between the oxidized polypyrrole derivatives and the anionic peptides and proteins takes place after the electropolymerization step.

Moreover, the optimal thickness of the spot given in <u>Guedon</u> which is close to 11 nm cannot anticipate the optimal thickness required in the present application which is less than or equal to 10 nm (see e.g., claims 15, 19 and 23).

Guedon also is directed to DNA sensors and methods for making them, is does not suggest or provide a reasonable expectation of success for producing the protein sensors of the invention. The prior art does not suggest modifying the prior art DNA sensors to produce protein sensors and the prior art does not provide a reasonable expectation of success for obtaining a useful protein sensor. For example, methods for making DNA sensors do not face the problems such as the possibility of denaturation and the need to preserve of protein active sites and involve molecules (nucleic acids) having different sizes and chemical characteristics. Nothing in the prior art would have suggested to one of ordinary skill in the art that the teaching of DNA sensors using oligonucleotides can be modified and applied to proteins sensors which must face problems linked to preservation of protein active sites and protein size. On the other hand, the claimed method involves the attachment of a protein to a conductive support in order to produce useful protein-based sensor such as those used on biochips. The present invention also provides a method for obtaining a sensor with an improved sensitivity and in which the attached proteins are not denatured and preserve protein active sites. None of these features are contemplated by the prior art which is directed to a different chemical class of molecule—nucleic acids.

The inventors have solved the particular technical problems associated with proteins by the particular electropolymerization conditions (the amount of current applied over the time applied) described in claim 1. This procedure makes it possible to obtain a sensor having a pyrrole film with a thickness of less than or equal to 10 nm as shown in Table 3. Indeed, as indicated in the application at [0172] and [0173], the thickness of the pyrrole polymer not only plays a key role in the capacity for attachment and recognition of proteins, including hindered proteins, but also has an influence on the biological response of the sensor. In addition, the inventors have shown that a pyrrole polymer with a thickness less than or equal to 10 nm is necessary to obtain accurate results when sensors produced according to the invention are implemented using optical techniques including plasmon resonance. The prior art does not provide a reasonable expectation of success for these properties of the invention, nor suggest the underlying structure providing these properties. Accordingly, this rejection should now be withdrawn.

<u>Rejection—35 U.S.C. §103(a)</u>

Claim 4 was rejected under 35 U.S.C. §103(a) as being unpatentable <u>Livache</u>, et al., Biosens. Bioelec. 13:629, in view of <u>Domb</u>, U.S. 2006/0013850 and <u>Guedon</u>, et al., Anal. Chem. 72: 6003, and further in view of <u>Caillat</u>, et al., U.S. Patent No. 6,803,228. The primary references have been addressed above and do not suggest or provide a reasonable expectation of success for the invention. <u>Caillat</u> was cited as teaching a pyrrole polymer functionalized with N-hydroxysuccinimide and maleimide, but does not suggest the other aspects of the invention. Accordingly, this rejection may be withdrawn for the reasons discussed above.

Rejection—35 U.S.C. §103(a)

Claims 1-3, 6 and 10-21 were rejected under 35 U.S.C. §103(a) as being unpatentable over Livache, et al., Biosens. Bioelec. 13:629, Domb, U.S. 2006/0013850, Guedon, et al., Anal. Chem. 72: 6003, and Caillat, et al., U.S. Patent No. 6,803,228, as applied to claim 4 above, and further in view of Bianchi, et al., U.S. 2003/0207400.

The primary references have been addressed above and do not suggest or provide a reasonable expectation of success for the invention. <u>Bianchi</u> was cited as teaching various linkers to functionalize pyrrole with thiol, maleimide or amino groups. However, <u>Bianchi</u> does not suggested or provide a reasonable expectation of success for the invention described in independent claim 1. Accordingly, this rejection may be withdrawn for the reasons discussed above.

Rejection—35 U.S.C. §103(a)

Claims 1-3 and 6-9 were rejected under 35 U.S.C. §103(a) as being unpatentable over Livache, et al., Anal. Biochem. 255:188, in view of Livache, et al., Biosens. Bioelec. 13:629, [Domb, U.S. 2006/0013850,] and Guedon, et al., Anal. Chem. 72: 6003.

<u>Livache</u>, Anal. Biochem., concerns polypyrrole DNA chips. Even if this document suggested that copolymerization of many "biological agents", it does not specifically suggest peptides or polypeptides and is silent about the problems associated with these types of molecules. <u>Livache</u> concerns DNA chips and biological molecules like RNA. In addition, it discloses that the optimal thickness for the polymer film is 20 nm (see page 192, right col., 2nd paragraph), not the less than or equal to 10 mm required by claims 15, 19 and 23.

As already explained above, nothing in <u>Livache</u>, Biosens. Bioelec., and/or Guedon would have suggested to one of ordinary skill in the art a method for making a protein sensor with an improved sensitivity and in which the attached proteins present preserved active sites

as required by independent claim 1. The method of claim 1 requires coupling an activated pyrrole with a protein and submitting the protein to an electropolymerization under particular conditions (current and time) which enables the production of a sensor having a pyrrole film with a thickness of less than or equal to 10 nm. Accordingly, this rejection should be withdrawn since the prior art does not suggest the method of claim 1 or provide a reasonable expectation of success for the sensitive protein-based sensors provided by this method.

Livache et al.

Livache was previously cited as prior art and as disclosing coupling a pyrrolyl residue to a dT10 oliognucleotide linker which is coupled to a synthetic peptide. In Livache it is stated that the pyrrole ODN and pyrrole peptides were prepared by coupling a pyrrolyl residue on an ODN or a synthetic peptides through a dT10 oligonucleotide linker (page 630, §1). A dT10 oligonucleotide is a large molecule and corresponds to ten residues of deoxythymidine (dT). The coupling of an ODN on a peptide as proposed in Livache can make it possible to improve (1) the peptide purification thanks to a "standard" solubility (an HPLC column in neutral conditions instead of in acid conditions can thus be used) and (2) its detection (UV at 260 nm). Nevertheless, this document does not disclose or suggest coupling a peptide or protein directly to an activated pyrrole.

<u>Livache</u> being unconcerned with proteins, provides no indication concerning any experimental procedure showing the possibility to apply the process involving the dT10 oligonucleotide to peptides and proteins. <u>Livache</u> explicitly shows the possibility of building an ODN pyrrole using an oligonucleotide synthesizer (page 2916, col. 2, §2). Nevertheless, such a system is not applicable to protein since protein chemistry is different from the nucleoside chemistry. The information given in <u>Livache</u> is not sufficient to enable a person skilled in the art to apply the dT10 oligonucleotide linker process to a protein, because of the

fundamental difference between the chemistry of peptides and nucleotides and the lack of any

guidance in Livache for such a process.

On the other hand, the present application requires coupling a peptide to an activated

pyrrole monomer in distinction to Livache which suggests using a dT10 linker between a

pyrrolyl residue and a peptide. Accordingly, the Applicants respectfully submit that <u>Livache</u>

would not apply to the present claims.

CONCLUSION

In view of the above amendments and remarks, the Applicants respectfully submit

that this application is ready for allowance. Early notification of such is earnestly requested.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,

MAIER & NEUSTADT, P.C.

Norman F. Oblon

Thomas M. Cunningham, Ph.D.

Registration No. 45,394

Customer Number 22850

Tel: (703) 413-3000 Fax: (703) 413 -2220 (OSMMN 03/06)